


# CRYO

CY12 / CY12L  
CY12-D / CY12L-D  
CPU Air Cooler



## Features:

- Hydraulic bearing fan ensures durability and quiet operation
- High airflow fan of 57.56 CFM for efficient cooling
- Fan noise level of just 38.21 dB(A) for quiet performance



CPU AIR COOLER  
CRYO SERIES

# PACKAGE CONTENTS

ITEM	QUANTITY
AIR COOLER	1
Intel Bracket	
AMD Bracket	
Screws	
Standoffs	
USER MANUAL	1



CPU AIR COOLER  
CRYO SERIES

# SPECIFICATIONS

MODEL NUMBER	CY12	CY12L
PART NUMBER	CY12-BK	CY12L-BK
ARGB LIGHTING	N/A	Yes
CONNECTOR	4-pin (PWM)	3-pin (ARGB) + 4-pin (PWM)
HEATPIPE CONFIGURATION	4 x Ø6 mm	
HEATPIPE MATERIAL	Copper	
FAN DIMENSION (L x W x H)	120 x 120 x 25 mm	
FAN RATED VOLTAGE	DC 12V	
FAN RATED CURRENT	0.17 A ± 10%	
FAN RATED POWER	2.04 W ± 10%	
FAN LEAVES	9	
CABLE LENGTH	500 mm ± 10 mm	
BEARING	Hydraulic bearing	
MAX AIRFLOW	57.56 CFM	
STATIC PRESSURE	2.48 mm-H <sub>2</sub> O	
SPEED	750-1900 ± 10% RPM	
FAN NOISE LEVEL	38.21dB @ 1000 mm	
FAN LIFESPAN	30,000/hrs @ 25°C	
NO. OF POLE	4 (Poles)	
SUPPORTED CPU	Intel 1851 / 1700 / 1200 / 115x / 1366 / 2011, AMD AM4 / AM5	
WARRANTY	3 years	

# SPECIFICATIONS

MODEL NUMBER	CY12-D	CY12L-D
PART NUMBER	CY12-D-BK	CY12L-D-BK
ARGB LIGHTING	N/A	Yes
CONNECTOR	4-pin (PWM)	3-pin (ARGB) + 4-pin (PWM)
HEATPIPE CONFIGURATION	6 x Ø6 mm	
HEATPIPE MATERIAL	Copper	
DIMENSION (L x W x H)	120 x 120 x 25 mm	
FAN RATED VOLTAGE	DC 12V	
FAN RATED CURRENT	0.17 A ± 10%	
FAN RATED POWER	2.04 W ± 10%	
FAN LEAVES	9	
CABLE LENGTH	500 mm ± 10 mm	
FAN BEARING	Hydraulic bearing	
FAN MAX AIRFLOW	57.56 CFM	
FAN STATIC PRESSURE	2.48 mm-H <sub>2</sub> O	
FAN SPEED	750-1900 ± 10% RPM	
FAN NOISE LEVEL	38.21dB @ 1000 mm	
FAN LIFESPAN	30,000/hrs @ 25°C	
NO. OF POLE	4 (Poles)	
SUPPORTED CPU	Intel 1851 / 1700 / 1200 / 115x / 1366 / 2011, AMD AM4 / AM5	
WARRANTY	3 years	

# PICTURES



CPU AIR COOLER  
CY12 / CY12L

# PICTURES



CPU AIR COOLER  
CY12-D / CY12L-D