



FO7-14

CASE FAN

- PWM temperature control efficiently adjusts temperature
- 9-blade design provides stronger airflow
- ARGB sync creating a mesmerizing visual effect

Specifications are subject to change without notice. The revision date of this specification sheet is 2026-09-02
For the latest specifications, please visit <https://1stplayer.com/product/case-fan-fo7-14/>

SPECIFICATIONS

MODEL	F07-14	F07R-14
DIMENSION	140 x 140 x 25 mm	140 x 140 x 25 mm
NUMBER OF BLADES	9 blades	9 blades
RATED VOLTAGE	Fan DC 12 V / LED DC 5 V	Fan DC 12 V / LED DC 5 V
FAN RATED POWER	1.58 W $\pm$ 10% max	1.58 W $\pm$ 10% max
FAN RATED CURRENT	0.132 A $\pm$ 10%	0.132 A $\pm$ 10%
BEARING	Hydraulic bearing	Hydraulic bearing
CONNECTOR	3-pin (ARGB) and 4-pin (PWM)	3-pin (ARGB) and 4-pin (PWM)
SPEED	500 - 1200 RPM $\pm$ 10%	500 - 1200 RPM $\pm$ 10%
MAX CFM	50.1 CFM $\pm$ 10% (ft ³ /min)	45.35 CFM $\pm$ 10% (ft ³ /min)
STATIC PRESSURE	0.73 mm-H ₂ O $\pm$ 10%	0.55 mm-H ₂ O $\pm$ 10%
NOISE	$\leq$ 24.3 $\pm$ 10% dB(A)	$\leq$ 27.0 $\pm$ 10% dB(A)
CABLE LENGTH	570 $\pm$ 10% mm	570 $\pm$ 10% mm
LIFESPAN	30,000 h @ 25°C	30,000 h @ 25°C

PICTURES - FO7-14-BK



PICTURES - FO7-14-WH



PICTURES - FO7R-14-BK



PICTURES - FO7R-14-WH

